

2022 Air Quality Annual Status Report (ASR)

In fulfilment of Part IV of the Environment Act 1995 Local Air Quality Management

Date: 28 July 2022

Information	Chichester District Council
Local Authority Officer	Kate Simons Simon Ballard
Department	Environmental Protection
Address	East Pallant House 1 East Pallant Chichester West Sussex PO19 1TY
Telephone	01243 521160
E-mail	ksimons@chichester.gov.uk sballard@chichester.gov.uk
Report Reference Number	ASR 22
Date	July 2022

Executive Summary: Air Quality in Our Area

Air Quality in Chichester District

Air pollution is associated with a number of adverse health impacts. It is recognised as a contributing factor in the onset of heart disease and cancer. Additionally, air pollution particularly affects the most vulnerable in society: children, the elderly, and those with existing heart and lung conditions. There is also often a strong correlation with equalities issues because areas with poor air quality are also often less affluent areas^{1,2}.

The mortality burden of air pollution within the UK is equivalent to 28,000 to 36,000 deaths at typical ages³, with a total estimated healthcare cost to the NHS and social care of \pounds 157 million in 2017⁴.

Air quality across most of Chichester district is good however along roads in and adjacent to Chichester city and within Midhurst there are areas of elevated concentrations of pollutants. The main pollutant of concern under the Local Air Quality Management regime is nitrogen dioxide (NO₂), the key source being road traffic. The latest monitoring data indicates that levels have generally decreased over the last five years. (However, it should be noted that there was a slight increase in NO₂ concentrations in 2021 compared to 2020 which is considered to be due to the effect of the Covid 19 pandemic on 2020 traffic volumes.)

The Air Quality Monitoring Areas (AQMAs) within the district are located at:

- St Pancras, Chichester
- Rumbolds Hill, Midhurst
- Orchard Street, Chichester
- Stockbridge roundabout at the junction of the A27 and A286.

Note that the latter two AQMAs have been revoked in 2022 see link to webpage as below

Air quality: Chichester District Council

The Council has revised and published its Air Quality Action Plan (AQAP) during 2021/22 and this is available at the following link

Air quality: Chichester District Council

¹ Public Health England. Air Quality: A Briefing for Directors of Public Health, 2017

² Defra. Air quality and social deprivation in the UK: an environmental inequalities analysis, 2006

³ Defra. Air quality appraisal: damage cost guidance, July 2021

⁴ Public Health England. Estimation of costs to the NHS and social care due to the health impacts of air pollution: summary report, May 2018

The AQAP recognises the health effects of PM_{2.5} (although currently this pollutant is not included in the statutory Local Air Quality Management regime which defines our air quality activities). The AQAP includes actions designed to tackle both PM_{2.5} and NO₂. The government is committed to adopting a binding standard for PM_{2.5} as part of the requirements of the Environment Bill and we will consider the new standard once adopted (expected to be later in 2022).

Air quality is recognized by the Council as an important public health issue which we are working with our partners to address. Our partners include other services at the Council (including Development Management, Parking Services and Estates), West Sussex County Council (WSCC) departments (Public Health, Transport and Planning and Highways) and CDC is also a member of the Sussex-Air Quality Partnership (SAQP) known as Sussex-air.

Our Local Cycling and Walking Infrastructure Plan (LCWIP) for Chichester City was adopted in January 2021 and the Council is working with WSCC and other neighbouring district and borough councils to develop feasibility designs for some of the priority LCWIP schemes across the County. One of the LCWIP routes within Chichester City is being considered as part of this work. This work should enable WSCC to bid to the Active Travel Fund (ATF) in due course for funding to develop these schemes.

We continue to work with our planning policy team in the development of the review of the Chichester Local Plan. We are developing a GIS layer of proposed cycling infrastructure identified in the Chichester City LCWIP, the WSCC LCWIP and routes identified in WSCC STIP⁵ and LTIP⁶ work streams. The GIS layer will provide background evidence to assist in prioritising routes in the Council's Infrastructure Business Plan thus enabling funding to be allocated in the future.

The Council has agreed to deliver a two-car pool fleet of electric/low emission cars and two additional pool cycles (e-bikes) during 2022. We are also funded to expand the car club by one further vehicle when usage rates indicate the need for another vehicle.

Actions to Improve Air Quality

Whilst air quality has improved significantly in recent decades and will continue to improve due to national policy decisions, there are some areas where local action is needed to improve air quality further.

⁵ Strategic Transport Investment Programme

⁶ Local Transport Improvement Programme

The 2019 Clean Air Strategy⁷ sets out the case for action, with goals to reduce exposure to harmful pollutants. The Road to Zero⁸ sets out the approach to reduce exhaust emissions from road transport through a number of mechanisms; this is extremely important given that Chichester District's Air Quality Management Areas (AQMAs) are designated due to elevated concentrations of pollutants heavily influenced by transport emissions.

Key completed actions during 2021 are as follows:

- Adoption of the revised Air Quality Action Plan 2021 by Cabinet in January 2022 and making the document available on the website.
- Adoption of the Chichester City Local Cycling and Walking Infrastructure Plan (LCWIP) in April 2021 and making the document available on the website.
- We have launched a low emission salary sacrifice car scheme for staff to access.
- We continue our partnership working with WSCC, Sussex-Air and Chichester & District Cycle Forum.
- We continued to run and maintain four air quality monitoring stations during 2021 and published the monitoring information at http://sussex-air.net this work is used within the air Alert forecasting service (see Measure 16 in Table 2.2). (Note that two of the air quality monitoring stations were decommissioned at the beginning of 2022).
- We continue to monitor 20 sites using NO₂ diffusion tubes.

Conclusions and Priorities

The 2021 monitoring of NO₂ and PM₁₀ shows no exceedances of Air Quality Standards at any of the four real-time monitoring stations. At all the twenty diffusion tube locations the UK's NO₂ air quality annual mean Objective of 40 μ g/m³ was met (both within and outside AQMAs). The AQMAs at Orchard Street and Stockbridge roundabout (both in Chichester) have been revoked as discussed in last year's ASR based on the air quality monitoring data over the last five years and air quality modelling data to 2025.

We are not aware of any new developments within the district that will have a significant impact on air quality moving forward. Nevertheless, we are aware that there is residential development on going in the district and that future traffic from such developments could have an impact on air quality.

The AQAP was updated during 2021 and the Council's priorities for the next five years are detailed in the document and summarised in Section 2.2 of this report.

⁷ Defra. Clean Air Strategy, 2019

⁸ DfT. The Road to Zero: Next steps towards cleaner road transport and delivering our Industrial Strategy, July 2018

Local Engagement and How to get Involved

The public can get involved by supporting behavioural change initiatives such as car sharing, walking, cycling, using public transport, joining the Car Club, buying zero emissions vehicles for personal and commercial travel and turning petrol/diesel engines off when stationary. Other initiatives such as minimising wood burning, only burning dry, well-seasoned wood and composting instead of having bonfires can also reduce air pollution.

The Chichester and District Cycle Forum provides information on local cycling opportunities and campaigns on behalf of cyclists. The Forum is open to the public and further information can be obtained by emailing: <u>environmentalprotect@chichester.gov.uk</u>

The Environmental Protection team regularly provides updates to Members of the Council regarding progress on implementing the AQAP and provides details on the staff intranet/website regarding air quality issues and campaigns.

Local Responsibilities and Commitment

This ASR was prepared by the Environmental Protection Team at Chichester District Council with the support and agreement of the following officers and departments:

Andy Mouland – Senior Local Transport Improvements Officer, Highways, Transport and Planning, WSCC

This ASR has been approved by:

Andrew Frost – Director Planning and Environment, CDC

Cllr Penny Plant – Cabinet Portfolio holder for the Environment and for Contract Services, CDC

This ASR has not been signed off by a Director of Public Health.

If you have any comments on this ASR please send them to Kate Simons at:

Chichester District Council

East Pallant House

East Pallant

Chichester

West Sussex

PO19 1TY

Telephone: 01243 521160

Email: ksimons@chichester.gov.uk

Table of Contents

Executive Summary: Air Quality in Our Area	i
Air Quality in Chichester District	i
Actions to Improve Air Quality	ii
Conclusions and Priorities	iii
Local Engagement and How to get Involved	iv
Local Responsibilities and Commitment	iv
1 Local Air Quality Management	1
2 Actions to Improve Air Quality	
2.1 Air Quality Management Areas	
2.2 Progress and Impact of Measures to address Air Quality in Chichester District	
2.3 PM _{2.5} – Local Authority Approach to Reducing Emissions and/or Concentrations	
3 Air Quality Monitoring Data and Comparison with Air Quality Objectives and	
National Compliance	
3.1 Summary of Monitoring Undertaken	15
3.1.1 Automatic Monitoring Sites	15
3.1.2 Non-Automatic Monitoring Sites	15
3.2 Individual Pollutants	15
3.2.1 Nitrogen Dioxide (NO ₂)	16
3.2.2 Particulate Matter (PM ₁₀)	17
3.2.3 Particulate Matter (PM _{2.5})	18
3.2.4 Ozone (O ₃)	18
Appendix A: Monitoring Results	20
Appendix B: Full Monthly Diffusion Tube Results for 2021	34
Appendix C: Supporting Technical Information / Air Quality Monitoring Data QA	
	36
New or Changed Sources Identified Within Chichester District During 2021	
Additional Air Quality Works Undertaken by Chichester District Council During 2021	36
QA/QC of Diffusion Tube Monitoring	36
Diffusion Tube Annualisation	
Diffusion Tube Bias Adjustment Factors	
NO ₂ Fall-off with Distance from the Road	
QA/QC of Automatic Monitoring	
PM ₁₀ and PM _{2.5} Monitoring Adjustment	
Automatic Monitoring Annualisation	
NO ₂ Fall-off with Distance from the Road	
Appendix D: Maps of Monitoring Locations and AQMAs	
Appendix E: Summary of Air Quality Objectives in England	46
Glossary of Terms	47

eferences

Figures

Figure A.1 – Trends in Annual Mean NO ₂ Concentrations	26
Figure A.2 – Trends in Number of NO ₂ 1-Hour Means > 200µg/m ³	29
Figure A.3 – Trends in Annual Mean PM ₁₀ Concentrations	31
Figure A.4 – Trends in Number of 24-Hour Mean PM_{10} Results > 50µg/m ³	33
Figure A.5 – Trends in Annual Mean PM2.5 Concentrations. Error! Bookmark not defir	ned.
Figure D.1 – Map of Non-Automatic Monitoring Site	42

Tables

Table 2.1 – Declared Air Quality Management Areas 3
Table 2.2 – Progress on Measures to Improve Air Quality8
Table A.1 – Details of Automatic Monitoring Sites
Table A.2 – Details of Non-Automatic Monitoring Sites 21
Table A.3 – Annual Mean NO ₂ Monitoring Results: Automatic Monitoring (μ g/m ³)23
Table A.4 – Annual Mean NO ₂ Monitoring Results: Non-Automatic Monitoring (μ g/m ³)24
Table A.5 – 1-Hour Mean NO ₂ Monitoring Results, Number of 1-Hour Means > 200μ g/m ³
Table A.6 – Annual Mean PM ₁₀ Monitoring Results (μg/m ³)30
Table A.7 – 24-Hour Mean PM ₁₀ Monitoring Results, Number of PM ₁₀ 24-Hour Means >
50µg/m ³
30μg/m
Table A.8 – Annual Mean PM _{2.5} Monitoring Results (µg/m ³) Error! Bookmark not defined.
Table A.8 – Annual Mean PM _{2.5} Monitoring Results (μ g/m ³) Error! Bookmark not defined.
Table A.8 – Annual Mean PM _{2.5} Monitoring Results (μ g/m ³) Error! Bookmark not defined. Table A.9 – SO ₂ 2021 Monitoring Results, Number of Relevant Instances Error!
Table A.8 – Annual Mean PM _{2.5} Monitoring Results (µg/m ³) Error! Bookmark not defined. Table A.9 – SO ₂ 2021 Monitoring Results, Number of Relevant Instances Error! Bookmark not defined.
Table A.8 – Annual Mean PM2.5 Monitoring Results (μ g/m³) Error! Bookmark not defined.Table A.9 – SO2 2021 Monitoring Results, Number of Relevant InstancesError!Bookmark not defined.Table B.1 – NO2 2021 Diffusion Tube Results (μ g/m³)34
Table A.8 – Annual Mean PM2.5 Monitoring Results (μ g/m³) Error! Bookmark not defined.Table A.9 – SO2 2021 Monitoring Results, Number of Relevant InstancesError!Bookmark not defined.Table B.1 – NO2 2021 Diffusion Tube Results (μ g/m³)34Table C.1 – Bias Adjustment Factor37
Table A.8 – Annual Mean PM2.5 Monitoring Results (μ g/m³) Error! Bookmark not defined.Table A.9 – SO2 2021 Monitoring Results, Number of Relevant InstancesError!Bookmark not defined.Table B.1 – NO2 2021 Diffusion Tube Results (μ g/m³)34Table C.1 – Bias Adjustment Factor37Table C.2 – Annualisation Summary (concentrations presented in μ g/m³)39

1 Local Air Quality Management

This report provides an overview of air quality in Chichester District during 2021. It fulfils the requirements of Local Air Quality Management (LAQM) as set out in Part IV of the Environment Act (1995) and the relevant Policy and Technical Guidance documents.

The LAQM process places an obligation on all local authorities to regularly review and assess air quality in their areas, and to determine whether or not the air quality objectives are likely to be achieved. Where an exceedance is considered likely the local authority must declare an Air Quality Management Area (AQMA) and prepare an Air Quality Action Plan (AQAP) setting out the measures it intends to put in place in pursuit of the objectives. This Annual Status Report (ASR) is an annual requirement showing the strategies employed by Chichester District Council to improve air quality and any progress that has been made.

The statutory air quality objectives applicable to LAQM in England are presented in Table E.1.

2 Actions to Improve Air Quality

2.1 Air Quality Management Areas

Air Quality Management Areas (AQMAs) are declared when there is an exceedance or likely exceedance of an air quality objective. After declaration, the authority should prepare an Air Quality Action Plan (AQAP) within 12 months setting out measures it intends to put in place in pursuit of compliance with the objectives.

A summary of AQMAs declared by Chichester District Council can be found in Table 2.1. The table presents a description of the four AQMAs that were designated within Chichester District during 2021. It should be noted that two of the AQMAs were revoked in May 2022 (Orchard Street and Stockbridge roundabout AQMAs). Appendix D: Maps of Monitoring Locations and AQMAs provides maps of AQMAs and the air quality monitoring locations in relation to the AQMAs. The air quality objectives pertinent to the current AQMA designations are as follows:

• NO₂ annual mean

Based on the monitoring over the last five years and modelling to 2025 we revoked Orchard Street and Stockbridge roundabout AQMAs in May 2022 (see section 3.2).

Table 2.1 – Declared	Air Quality	/ Management Areas
----------------------	-------------	--------------------

AQMA Name	Date of Declaration	Pollutants and Air Quality Objectives	One Line Description	Is air quality in the AQMA influenced by roads controlled by National Highways?	Level of Exceedance: Declaration	Level of Exceedance: Current Year	Name and Date of AQAP Publication	Web Link to AQAP
Stockbridge Roundabout AQMA	24-Aug-06	NO₂ Annual Mean	An area encompassin g the Stockbridge Roundabout at the junction of the Chichester bypass (A27) and Stockbridge Road (A286)	YES	44.9	29.2	CDC AQAP 2022	https://www.chichester.gov.uk/pollution controlairquality
Orchard Street AQMA	17-May-07	NO₂ Annual Mean	An area along Orchard Street, Chichester at the eastern end of the street where it meets Northgate	NO	40.7	25.1	CDC AQAP 2022	as above

AQMA Name	Date of Declaration	Pollutants and Air Quality Objectives	One Line Description	Is air quality in the AQMA influenced by roads controlled by National Highways?	Level of Exceedance: Declaration	Level of Exceedance: Current Year	Name and Date of AQAP Publication	Web Link to AQAP
St Pancras AQMA	17-May-07	NO2 Annual Mean	An area along St Pancras, Chichester between Eastgate Square and New Park Road. Note St Pancras forms a street canyon in this section.	NO	48.3	37.5	CDC AQAP 2022	as above
Rumbolds Hill AQMA	17-Jan-20	NO₂ Annual Mean	An area along Rumbolds Hill, Midhurst between the A272 at its southern end and the junction of North Street (A286) and Knockhundre d Row at its northern end.	NO	42	36	CDC AQAP 2022	as above

CDC confirms the information on UK-Air regarding their AQMA(s) is up to date

CDC confirms that all current AQAPs have been submitted to Defra

2.2 Progress and Impact of Measures to address Air Quality in

Chichester District

Defra's appraisal of last year's ASR and our response is shown in the bullet points below:

- Defra's comment: The Council's AQAP is out of date; the AQAP was published in 2015. However, the Council have provided an update stating a new AQAP is expected to be adopted in Autumn 2021. The Council have also mentioned suggested new measures in the 2021 AQAP to target PM_{2.5} specifically. This is encouraging to see, and the Council is urged to finalise their updated AQAP, reporting on new measures in their 2022 ASR.
- CDC's response: The Council's revised AQAP was finalised at the end of 2021 and adopted 11 January 2022.
- Defra's comment: The Council have stated they are considering revocation of the Stockbridge Roundabout and Orchard Street AQMAs due to continual compliance with the annual mean NO₂ objective. This decision is supported.
- CDC's response: The two AQMAs as above were revoked in May 2022.
- Defra's comment: Suggestions have been made regarding a couple of improvements to the presentation of graphs within the report.
- CDC's response: The suggestions made by Defra have been taken on board in the ASR 2022.

Chichester District Council has taken forward a number of direct measures during the current reporting year of 2021 in pursuit of improving local air quality. Details of all measures completed, in progress or planned are set out in Table 2.2. Twenty-three measures are included within Table 2.2, with the type of measure and the progress Chichester District Council has made during the reporting year of 2021 presented. Where there have been, or continue to be, barriers restricting the implementation of the measure, these are also presented within Table 2.2.

More detail on these measures can be found in our Air Quality Action Plan (AQAP) and Chichester City Local Cycling and Walking Infrastructure Plan (LCWIP). Key completed measures are:

- Adoption of the revised Air Quality Action Plan 2021 by Cabinet in January 2022 and making the document available on the website.
- Adoption of the Chichester City Local Cycling and Walking Infrastructure Plan (LCWIP) in April 2021 and making the document available on the website.
- We have launched a low emission salary sacrifice car scheme for staff to access.
- We continue our partnership working with WSCC, Sussex-Air and Chichester & District Cycle Forum.
- We continued to run and maintain four air quality monitoring stations during 2021 and published the monitoring information at http://sussex-air.net this work is used within the air Alert forecasting service (see measure 16 in Table 2.2). (Note that two of the air quality monitoring stations were decommissioned at the beginning of 2022).
- We continue to monitor 20 sites using NO₂ diffusion tubes.

Chichester District Council (CDC) expects the following measures to be completed over the course of the next reporting year:

- To continue to support our partners, particularly WSCC, with respect to developing an initial design/feasibility study for one of the cycle routes in the Chichester City LCWIP (Route K) to enable bidding for Active Travel Funding during 2022/2023.
- To deliver a fleet of two electric bikes equipped such that staff can make work related journeys on them (due for delivery in July 2022).
- To deliver a two-car pilot pool car fleet for CDC staff to include ULEV and ZEV vehicles (due for delivery in July 2022).
- To complete a GIS layer of cycle routes (aspirational and existing) for inclusion in the revised Local Plan (due for public consultation by the end of 2022).
- To associate the Sussex-air Air Quality and Emissions Guidance for Sussex within the Council's planning process.
- To expand the Car Club in Chichester city by tendering for an additional car to be in place by April 2023.

CDC's priorities for the coming year are to:

- To work with WSCC on a feasibility study/options appraisal of one of the higher priority routes within the Chichester City LCWIP to enable future bidding for funding to develop the route.
- To complete the development of a GIS layer to link to the revised Local Plan showing routes within CDC's LCWIP report, the emerging WSCC LCWIP, WSCC STIP and LTIP routes in order to inform developers and other potential funders of infrastructure requirements within the district to enable increased active travel.
- To continue to work to implement our policy that 'all new council cars and vans shall be electric unless there is a business case as to why not'.
- To bid for grant monies that facilitate the implementation of actions within the revised AQAP.

•

Chichester District Council worked to implement these measures in partnership with the following stakeholders during 2021:

- WSCC Highways/Transport teams
- Neighbouring District and Borough Councils
- National Highways
- Public Health Team at WSCC
- Sussex-air members.

The principal challenges and barriers to implementation that CDC anticipates facing are:

- Availability of funding for LCWIP and AQAP projects.
- Availability of WSCC highways staff resources to deliver multiple LCWIP schemes.

Progress on the following measures has been slower than expected due to:

• The launch of an additional Car Club car continues to be delayed due to changes in travel patterns following the pandemic.

Whilst the measures stated above and in Table 2.2 will help to contribute towards compliance, CDC anticipates that further additional measures not yet prescribed will be required in subsequent years to achieve compliance and enable the revocation of St Pancras and Rumbolds Hill AQMAs.

Table 2.2 – Progress on Measures to Improve Air Quality

Measure No.	Measure	Category	Classification	Year Measure Introduced	Estimated / Actual Completion Year	Organisations Involved	Funding Source	Defra AQ Grant Funding	Funding Status	Estimated Cost of Measure	Measure Status	Reduction in Pollutant / Emission from Measure	Key Performance Indicator	Progress to Date	Comments / Barriers to Implementation
1	Set up Air Quality Working Group	Promoting Travel Alternatives	Other	2008	2030	CDC	CDC	NO	Not Funded		Implementation	n/a	2 meetings per year	14 meetings held to date	Reported to West Sussex Air Quality group led by Public Health since 2018 and group now reports to Environment Panel at CDC
2	Cleaner vehicles	Promoting Low Emission Transport	Procuring alternative Refuelling infrastructure to promote Low Emission Vehicles, EV recharging, Gas fuel recharging	2012	2025	WSCC/CDC	WSCC/CDC	NO	Partially Funded	£50k - £100k	Implementation		No. of electric vehicle recharging points	installed a total of 18 recharging points in Chichester district having secured funding in 2019 from OLEV. Part of regional network of rapid charging points through Sussex-air project.	WSCC is leading a partnership of 6 of the 7 district and borough councils across the county seeking to procure a market based supplier to deliver a charge point network across the County under a Concession Contract. Given the nature of the procurement there is no requirement for any County Council investment. However, local authorities can bid for funds

Measure No.	Measure	Category	Classification	Year Measure Introduced	Estimated / Actual Completion Year	Organisations Involved	Funding Source	Defra AQ Grant Funding	Funding Status	Estimated Cost of Measure	Measure Status	Reduction in Pollutant / Emission from Measure	Key Performance Indicator	Progress to Date	Comments / Barriers to Implementation
															deemed uneconomical by the preferred supplier, the County Council will consider making a bid for this funding to support provision. CDC is watching the progress of this project and will get involved if a supplier is identified.
3	Planning policy	Policy Guidance and Development Control	Air Quality Planning and Policy Guidance	2012	2022	CDC	CDC	NO	Not Funded		Implementation		No. of planning conditions imposed on planning consultations	Sussex-air produced Planning Guidance and Low Emissions Strategy and in discussion with CDC Policy Planners regarding adopting LES approach. Sussex-air has reviewed its guidance in 2020 and document has been submitted to CDC Environment Panel. Document to be adopted by 2022/23	WSCC revised parking standards (2019) are also applied as necessary (relating to EV charging points and cycle parking facilities)
4	Cycling and walking initiatives	Promoting Travel Alternatives	Promotion of cycling	2012	2021	CDC/WSCC	CDC/WSCC	NO	Partially Funded	£50k - £100k	Completed		% increase in cycling	Stable levels of cycling from 2020- 2021 on most routes. LCWIP for Chichester City completed 2020, consulted on and revised Jan 2021 and adopted April 2021. WSCC has produced strategic LCWIP which will be adopted in 2022. Successful bid by CDC for	Prioritisation of LCWIP routes across West Sussex delivered as part of partnership between WSCC and districts and boroughs in 2021 and Capability Funding received to develop concept designs for one of CDC's active travel schemes. WSCC Planning to bid for ATF

Measure No.	Measure	Category	Classification	Year Measure Introduced	Estimated / Actual Completion Year	Organisations Involved	Funding Source	Defra AQ Grant Funding	Funding Status	Estimated Cost of Measure	Measure Status	Reduction in Pollutant / Emission from Measure	Key Performance Indicator	Progress to Date	Comments / Barriers to Implementation
														pooled business rates funding to fund this work (£70k).	funding in 2022/23 for schemes that have a completed concept design. WSCC received funding for 2022/23 for new Toucan crossing on A259 between Chichester and Bognor Regis to improve crossing for cyclists and pedestrians, to be implemented by end of 2022/23.
5	Car Clubs	Alternatives to private vehicle use	Car Clubs	2012	2023	CDC/WSCC	CDC/car club operator	NO	Partially Funded	£10k - 50k	Planning		Utilisation rate of cars to be 20%	5 cars now available to book (1 car removed during Covid pandemic), development worker employed 2014- 16 to promote Club, utilisation rate increasing throughout 2019 and ranged from 11 - 20% depending on car location. £13k monies available to fund new vehicle.	Proposing to introduce new car to fleet in 2022/23 depending on utilisation rates increasing again.
6	School travel plans	Promoting Travel Alternatives	School Travel Plans	2012	2030	WSCC/CDC	WSCC	NO	Not Funded		Planning		% children travelling to school by sustainable means	Living Streets project engaged with 5 primary schools in the District and staff and students at Chichester University between 2018 - 2021.	WSCC has received Capability Fund monies to enable future work in this area.
7	WSCC and CDC travel plans	Promoting Travel Alternatives	Workplace Travel Planning	2012	2030	WSCC/CDC	WSCC/CDC	NO	Not Funded		Implementation		% WSCC and CDC staff travelling by sustainable means	WSCC grey fleet business mileage was 4.13 million km below 6.0 million km	WSCC Pool fleet mileage: Petrol pool – 170,968 km, Hybrid pool – 234,625 km. EV pool –

Measure No.	Measure	Category	Classification	Year Measure Introduced	Estimated / Actual Completion Year	Organisations Involved	Funding Source	Defra AQ Grant Funding	Funding Status	Estimated Cost of Measure	Measure Status	Reduction in Pollutant / Emission from Measure	Key Performance Indicator	Progress to Date	Comments / Barriers to Implementation
					Tear							MEASUIE		target. Easit scheme at WSCC and CDC to encourage rail use. Cycle to work scheme at CDC	57,400 km, Total 462,993 miles. Train travel 612,676 km at WSCC. Significant increase from 2020 in pool fleet mileage and train mileage.
8	Business travel plans	Promoting Travel Alternatives	Workplace Travel Planning	2012	2030	WSCC	WSCC	NO	Not Funded		Implementation		Travel Plans implemented within target time period	Over 45 Travel Plans submitted since 2009 and Travel Plan group set up attended by large organisations to work on joint measures.	2 business plans submitted in 2021
9	Residential travel plans	Promoting Travel Alternatives	Personalised Travel Planning	2012	2030	WSCC	WSCC	NO	Not Funded		Implementation		Travel Plans implemented within target time period	Over 44 Travel Plans have been submitted since 2009	Additional 6 plans during 2021
10	TravelWise/smarter choices	Public Information	Via the Internet	2012	2030	WSCC/CDC	WSCC	NO	Not Funded		Implementation		No. of users of WSCC car share database for PO19 area	Covid 19 has altered travel patterns in 2021 with employees working from home for part of year and many staff not attending workplaces on full time basis.	
11	Cycle route information	Promoting Travel Alternatives	Promotion of cycling	2012	2030	CDC	CDC	NO	Not Funded		Implementation		No. of maps sold through Tourist Information or other outlets.	5 route leaflets have been produced so far and over 1460 copies have been sold to date.	29 maps sold in 2021 but museum was closed for part of the year.
12	Cycle journey planning	Public Information	Via the Internet	2012	2030	WSCC	WSCC	NO	Not Funded		Implementation		No. of journeys planned on website (note this covers whole of West Sussex area)	Web link available on WSCC and CDC websites	4510 journeys planned 2021-22 (decrease from 2020/21 however still higher than 2019/20)
13	Public transport infrastructure	Transport Planning and Infrastructure	Public transport improvements- interchanges stations and services	2012	2030	WSCC	WSCC	NO	Funded	£50k - £100k	Implementation		Increase in use of public transport	RTPI displays installed at key locations across City	7 RTPI displays installed in 2020/21 and 4 more installed 2021 funded by CIL payments (1 planned for 2022). 3 new

Measure No.	Measure	Category	Classification	Year Measure Introduced	Estimated / Actual Completion Year	Organisations Involved	Funding Source	Defra AQ Grant Funding	Funding Status	Estimated Cost of Measure	Measure Status	Reduction in Pollutant / Emission from Measure	Key erformance Indicator	Progress to Date	Comments / Barriers to Implementation
															bus shelters in 2020/21 provided by City Council.
14	Cleaner buses	Promoting Low Emission Transport	Public Vehicle Procurement - Prioritising uptake of low emission vehicles	2012	2030	WSCC	WSCC	NO			Planning		o of Euro 5 buses	Two Euro 6 double deckers added to fleet in 2019. Emissions retrofitting project ongoing for 2020 for five Euro 4 and three Euro 3 buses	BSIP being drafted by the end of October. The BSIP will form part of a bid that the Partnership will make to central government for continued recovery funding as well as improvements from £3bn of new money. The BSIP will include the approach to achieving zero emission bus services.
15	Licensing requirement for taxis	Promoting Low Emission Transport	Taxi Licensing conditions	2012	2030	CDC	CDC	NO	Not Funded		Implementation		o. of Euro 4 vehicles	For vehicles 5 years and over, MOT and fitness test required every 6 months	Action within revised AQAP to work to provide infrastructure to allow the introduction of EV taxis to fleet
16	Forecasting, monitoring and public information	Public Information	Via other mechanisms	2012	2030	SAQP	SAQP	NO	Partially Funded		Implementation	reg	o. of people gistered to ceive alerts	Over 1182 subscribers registered across Sussex	
17	AQ monitoring and traffic monitoring	Traffic Management	UTC, Congestion	2012	2030	CDC/WSCC	CDC/WSCC	NO	Not Funded		Implementation		eduction in traffic volumes	Traffic flows between 2018 - 2019 have	Traffic flows in 2021 sllightly reduced due to

Measure No.	Measure	Category	Classification	Year Measure Introduced	Estimated / Actual Completion Year	Organisations Involved	Funding Source	Defra AQ Grant Funding	Funding Status	Estimated Cost of Measure	Measure Status	Reduction in Pollutant / Emission from Measure	Key Performance Indicator	Progress to Date	Comments / Barriers to Implementation
			management, traffic reduction											reduced by 3% in the Orchard St AQMA however the data was incomplete in the other two AQMAs so the flows could not be compared.	Covid 19 but vehicle numbers almost back to pre-Covid levels.
18	A27 by-pass improvements	Traffic Management	Strategic highway improvements, re-prioritising road space away from cars, including Access management, Selective vehicle priority, bus priority, high vehicle occupancy lane	2017	2030	National Highways	National Highways	NO	Not Funded		Planning		Reduction in congestion	NH consulted during 2017 on options for improving A27 around Chichester however no option chosen	No funds allocated for A27 improvements at the present time.
19	Variable message signing (VMS) on A27	Traffic Management	UTC, Congestion management, traffic reduction			National Highways	National Highways	NO	Not Funded				No. of warnings made per year	NH decision awaited	Awaiting outcome of A27 improvements decision
20	Park and ride schemes in and around City	Alternatives to private vehicle use	Bus based Park & Ride			CDC/WSCC	CDC/WSCC	NO	Not Funded				Reduce traffic in City centre by 3%	Linked to A27 improvements that have not yet been brought forward	Awaiting outcome of A27 improvements decision
21	Speed limit changes - 20 mph as part of school safety zone	Traffic Management	Reduction of speed limits, 20mph zones	2012	2015	WSCC	WSCC	NO	Funded		Completed		Reduction in traffic queues within Orchard St AQMA area	Signs installed around schools and on nearby residential streets	Reductions in NO ₂ within AQMA should be achieved through smoothing of traffic flow
22	Blanket 20mph scheme on residential streets	Traffic Management	Reduction of speed limits, 20mph zones	2014	2016	WSCC	WSCC	NO	Funded		Completed		Reduced speed on residential streets	WSCC contracted officer to promote 20mph and work with schools and community and CDC hosted officer and provided support	Roads monitored before and after implementation and speed reductions achieved on some roads
23	MOVA traffic signal optimisation	Traffic Management	UTC, Congestion management, traffic reduction	2012	2015	WSCC	WSCC	NO	Not Funded		Completed		Reduction in traffic queues within AQMAs	2 new Puffins to replace existing crossings implemented	Improves emissions by eliminating ghost users and reducing red time

2.3 PM_{2.5} – Local Authority Approach to Reducing Emissions

and/or Concentrations

As detailed in Policy Guidance LAQM.PG16 (Chapter 7), local authorities are expected to work towards reducing emissions and/or concentrations of $PM_{2.5}$ (particulate matter with an aerodynamic diameter of 2.5µm or less). There is clear evidence that $PM_{2.5}$ has a significant impact on human health, including premature mortality, allergic reactions, and cardiovascular diseases.

Data from the Public Health Outcomes Framework indicates that Chichester has a lower fraction of mortality (5.4% in 2020) attributable to particulate pollution (PM2.5) than the England average of 5.6%. The percentage is the same as for other authorities in the south-east such as Lewes, Rother, Wealden and lower than some of the larger conurbations such as Crawley (6.2%).

Chichester District Council and partners are taking the following measures to address $PM_{2.5:}$

- Measure 2- cleaner vehicles we have installed electric vehicle charging points across the district and have a procurement policy to encourage the use of electric vehicles where the business case is favourable. We are implementing a pilot pool car fleet for CDC employees to include ULEV and ZEV vehicles in 2022. We are considering how to roll out further EV charge points in 2022-23.
- Measure 4 and 5 we are implementing two electric pool bikes for staff in 2022 to enhance the current pool bike fleet. We continue to promote cycling opportunities and the use of the Car Club in responses to planning applications for large scale developments (as cyclists and car club members are demonstrably more likely to have a reduced vehicle milage and use alternative modes of transport).
- Measure 14 cleaner buses WSCC has committed to enter into an Enhanced Partnership with bus operators from April 2022. The partnership aims to assist operators to increase their fleets of zero emission vehicles.
- Measure 15 taxi licensing conditions air quality considerations have been included within the recent review of taxi licensing policy.

Within the revised AQAP 2021, we have included the following measures:

- Consider declaring Smoke Control Areas which would allow for regulatory oversight of firewood and stoves being sold.
- Include in the Communications Plan for Air Quality a specific thread on domestic burning, bonfires, fire-pits, open fires and wood burners.

٠

Where considered appropriate we have recommended that construction environmental management plans (CEMP) are put in place during the construction of new developments which include dust control strategies.

3 Air Quality Monitoring Data and Comparison with Air Quality Objectives and National Compliance

This section sets out the monitoring undertaken within 2021 by Chichester District Council and how it compares with the relevant air quality objectives. In addition, monitoring results are presented for a five-year period between 2017 and 2021 to allow monitoring trends to be identified and discussed.

3.1 Summary of Monitoring Undertaken

3.1.1 Automatic Monitoring Sites

Chichester District Council (CDC) undertook automatic (continuous) monitoring at four sites during 2021. Table A.1 in Appendix A shows the details of the automatic monitoring sites. NB. Local authorities do not have to report annually on the following pollutants: 1,3 butadiene, benzene, carbon monoxide and lead, unless local circumstances indicate there is an issue and so this ASR includes no data or analysis of those pollutants. The <u>http://www.sussex-air.net</u> page presents automatic monitoring results for Chichester District Council, with automatic monitoring results also available through the UK-Air website.

Maps showing the location of the monitoring sites are provided in Appendix D. Further details on how the monitors are calibrated and how the data has been adjusted are included in Appendix C.

3.1.2 Non-Automatic Monitoring Sites

CDC undertook non- automatic (ie passive) monitoring of NO_2 at 20 sites during 2021 (note at some locations there are co-located tubes). Table A.2 in Appendix A presents the details of the non-automatic sites.

Maps showing the location of the monitoring sites are provided in Appendix D. Further details on Quality Assurance/Quality Control (QA/QC) for the diffusion tubes, including bias adjustments and any other adjustments applied (e.g. annualisation and/or distance correction), are included in Appendix C.

3.2 Individual Pollutants

The air quality monitoring results presented in this section are, where relevant, adjusted for bias, annualisation (where the annual mean data capture is below 75% and greater than 25%), and distance correction. Further details on adjustments are provided in Appendix C.

3.2.1 Nitrogen Dioxide (NO₂)

Table A.3 and Table A.4 in Appendix A compare the ratified and adjusted monitored NO₂ annual mean concentrations for the past five years with the air quality objective of $40\mu g/m^3$. Note that the pollutant concentration data presented represents the concentration at the location of the monitoring site, following the application of bias adjustment and annualisation, as required (i.e. the values do not include any adjustment of pollutant concentration).

For diffusion tubes, the full 2021 dataset of monthly mean values is provided in Appendix B. Note that the concentration data presented in Table B.1 includes distance corrected values, only where relevant.

Table A.5 in Appendix A compares the ratified continuous monitored NO₂ hourly mean concentrations for the past five years with the air quality objective of $200\mu g/m^3$, not to be exceeded more than 18 times per year.

Continuing decreased economic activity during 2021 due to Covid 19 and the effect of lockdown restrictions during the year resulted in slightly reduced vehicle trips during the year. Depending on how the UK emerges from the pandemic and the economic downturn, data more indicative of the long-term trend may not be available until 2023/2024.

Data in Table A.3 indicates that there has been a slight increase in the NO₂ annual mean concentration at the Stockbridge monitoring station (from 23 to 24 μ g/m³) and the air quality objective was not exceeded. The results at this location have been decreasing for the past five years (from 33 to 24 μ g/m³). The monitoring station is not within the AQMA and does not represent a location of relevant exposure however it is the only location near the Stockbridge AQMA. There are three co-located diffusion tubes at the monitoring station and the 2021 annual mean for these tubes was 24 μ g/m³. As noted for the air quality monitoring station the air quality objective was not exceeded. Results for the Claremont Court diffusion tube location (which is in the Stockbridge AQMA) have slightly increased in the last year from 27 to 29 μ g/m³ (however during the past 5 years the results have decreased from 39 to 29 μ g/m³). The decision was therefore made to revoke the Stockbridge Roundabout AQMA based on this long term trend and the results of air quality modelling (presented within the AQAP) and the AQMA was formally revoked on 9 May 2022.

At the Orchard Street monitoring station the NO₂ annual mean concentration was 18 μ g/m³. Results at this monitoring station have been decreasing over the last five years (from 23 to 18 μ g/m³) and the air quality objective has never been exceeded since it was installed. A diffusion tube has been co-located at the monitoring station for four years and the annual mean for this tube was 17 μ g/m³ (previous years' annual means have been 22, 20 and 16 μ g/m³). At another nearby diffusion tube location the annual mean was 25 μ g/m³ (average of the two co-located tubes). The results at this nearby diffusion tube location have been decreasing over the last five years (from 33 to 25 μ g/m³). Both the monitoring station and the diffusion tubes are located within the AQMA and represent relevant exposure. The Council has taken the decision to revoke the AQMA based on this long term trend and the results of AQ modelling data (see details in the AQAP) and the

AQMA was formally revoked on 9 May 2022. The air conditioning plant within the monitoring station failed at the end of 2021 so the monitoring station has also been decommissioned. The diffusion tube co-located at the station and the tubes nearby remain in place.

At the Westhampnett Road monitoring station the NO₂ annual mean concentration was 23 μ g/m³. This monitoring station was commissioned in February 2019 so we do not have a five year trend at this location. There is a diffusion tube located to the east of the monitoring station. The annual mean for the diffusion tube has been decreasing over the last five years (from 30 to 23 μ g/m³). Neither the monitoring station nor the diffusion tube are located within an AQMA.

At the diffusion tube locations within the St Pancras AQMA, there were no exceedances of the air quality objective of 40 μ g/m³ (however one of the St Pancras co-located tubes was within 10% of the objective) and the concentrations monitored were:

- St Pancras co-located diffusion tube annual mean 38 μg/m³
- Nag's Head diffusion tube annual mean 33 μg/m³

At the diffusion tube locations within the Rumbolds Hill AQMA in Midhurst, there were no exceedances of the air quality objective of 40 μ g/m³ (however one of the co-located tubes at Rumbolds Hill was within 10% of the objective) and the concentrations were:

- Rumbolds Hill co-located diffusion tube annual mean 36 μ g/m³
- Midhurst Stationery diffusion tube annual mean 24 µg/m³
- Nat West Bank diffusion tube annual mean 33 μg/m³
- Nationwide diffusion tube annual mean 28 µg/m³.

At all other diffusion tube monitoring sites within Chichester and Midhurst, the NO₂ concentration has increased slightly from 2020 to 2021 however this is to be expected following the large decrease in 2020 due to the pandemic. All sites were compliant with the air quality objective. It is not intended that the locations of any of the diffusion tubes will be changed in the coming year.

From Table A.5 there have been no exceedances of the NO₂ 1-hour mean concentration at the Stockbridge, Orchard Street or Westhampnett Road monitoring stations for the last five years. The DEFRA guidance suggests the 1-hour mean objective is unlikely to be breached unless the annual mean concentration is $60 \ \mu g/m^3$ or above.

3.2.2 Particulate Matter (PM₁₀)

Table A.6 in Appendix A: Monitoring Results compares the ratified and adjusted monitored PM_{10} annual mean concentrations for the past five years with the air quality objective of $40\mu g/m^3$.

Table A.7 in Appendix A compares the ratified continuous monitored PM_{10} daily mean concentrations for the past five years with the air quality objective of $50\mu g/m^3$, not to be exceeded more than 35 times per year.

From Table A.6, the annual mean concentration ($20 \ \mu g/m^3$ in 2021) has fluctuated over the last five years between 19 $\mu g/m^3$ in 2017 and 2019 and 18 $\mu g/m^3$ in 2018 and 2020 and is fully compliant with the air quality objective of 40 $\mu g/m^3$. In addition, the number of PM₁₀ daily mean concentrations exceeding the Objective has ranged over the last five years from a maximum of one occasion in 2017 to zero occasions in the last four years. The air quality objective (50 $\mu g/m^3$ not to be exceeded more than 35 times per year) has therefore been met for the last five years. The TEOM used for monitoring PM₁₀ has been in place for many years so the Council is intending to replace the equipment and undertake monitoring for both PM₁₀ and PM_{2.5} in 2022 - 2023.

3.2.3 Particulate Matter (PM_{2.5})

An estimate of PM2.5 has been derived using the methodology in Technical Guidance LAQM TG16 (box 7.7)

Step 1: multiply the annual mean PM_{10} concentration by the nationally derived correction factor : $20 \times 0.7 = 14$

Step 2: Estimated annual mean $PM_{2.5} = 14 \mu g/m^3$

3.2.4 Ozone (O₃)

CDC has been monitoring ozone in the rural village of Lodsworth for over 16 years although the pollutant is not included in the statutory Local Air Quality Management regime. Ozone concentrations can become elevated when nitrogen dioxide and volatile compounds react in the presence of strong sunlight.

The table below compares the ratified and adjusted monitored O_3 concentrations and indicates that the number of exceedances of the running 8 hour mean (of $100\mu g/m^3$ or 50ppb) was eleven for 2021. This has fluctuated over the last five years from fifteen in 2017, forty-four in 2020, to eleven in 2021.


Table showing number of exceedances of running 8 hour mean ozoneconcentrations at Lodsworth monitoring station between 2017 and 2021

Site ID	Site Type	Valid Data Capture for Monitoring Period	Valid Liata Lantilro	O_3 - No more than 10 days where maximum rolling 8 h mean >= 100 $\mu g/m^3$						
Site ID		(%) ⁽¹⁾	2021 (%) ⁽²⁾	2017	2018	2019	2020	2021		
AR1	Rural (Lodsworth)		97	15	36	10	44	11		

(1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.

(2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).

The latest data shows that the objective was not achieved in 2021, this is presented in the graph below:



The air quality monitoring station at Lodsworth has had to be decommissioned as the air conditioning unit failed in early 2022.

Appendix A: Monitoring Results

Table A.1 – Details of Automatic Monitoring Sites

Site ID	Site Name	Site Type	X OS Grid Ref (Easting)	Y OS Grid Ref (Northing)	Pollutants Monitored	In AQMA? Which AQMA?	Monitoring Technique	Distance to Relevant Exposure (m) ⁽¹⁾	Distance to kerb of nearest road (m) ⁽²⁾	Inlet Height (m)
CI1	Stockbridge	Suburban	485881	103791	NO ₂ , PM ₁₀	NO	Chemiluminescent; TEOM	25	26	3
Cl4	Orchard Street	Roadside	485982	105221	NO ₂	YES Orchard Street AQMA	Chemiluminescent	9.8	3.75	2
AR1	Lodsworth	Rural	492396	123248	O 3	NO	UV	n/a	n/a	2.1
CI5	Westhampnett Road	Roadside	487212	105372	NO ₂	NO	Chemiluminescent	11.8	4.2	1.9

Notes:

(1) Om if the monitoring site is at a location of exposure (e.g. installed on the façade of a residential property).

(2) N/A if not applicable

Table A.2 – Details of Non-Automatic Monitoring Sites

Diffusion Tube ID	Site Name	Site Type	X OS Grid Ref (Easting)	Y OS Grid Ref (Northing)	Pollutants Monitored	In AQMA? Which AQMA?	Distance to Relevant Exposure (m) ⁽¹⁾	Distance to kerb of nearest road (m) ⁽²⁾	Tube Co- located with a Continuous Analyser?	Tube Height (m)
1	Kings Ave/SouthbankJct	Roadside	485776	103961	NO2	No	11.0	2.3	No	3.0
2a, 2b	Claremont Court	Roadside	485772	103847	NO2	Yes, Stockbridge roundabout AQMA	0.0	7.5	No	3.0
3, 4, 5	Cabin	Suburban	485880	103791	NO2	No	25.0	26.0	Yes	2.7
6	Stockbridge Road South	Urban Background	485696	103731	NO2	No	14.0	2.0	No	2.9
7	Cleveland Rd	Roadside	486953	104414	NO2	No	18.0	1.8	No	2.8
8	Westhampnett Road	Roadside	487341	105474	NO2	No	3.0	1.7	No	2.9
9a, 9b	Hornet	Roadside	486502	104795	NO2	No	0.0	1.8	No	3.1
10a, 10b	St Pancras	Roadside	486533	104860	NO2	Yes, St Pancras AQMA	0.0	2.0	No	3.0
11	Arthur Purchase	Urban Background	486082	105026	NO2	No	0.0	6.0	No	2.7
12a, 12b	174 Orchard St	Roadside	485914	105185	NO2	Yes, Orchard St AQMA	0.0	2.0	No	2.7
13a, 13b	Rumbolds Hill	Roadside	488561	121479	NO2	Yes, Rumbolds Hill AQMA	0.5	1.5	No	3.4

Diffusion Tube ID	Site Name	Site Type	X OS Grid Ref (Easting)	Y OS Grid Ref (Northing)	Pollutants Monitored	In AQMA? Which AQMA?	Distance to Relevant Exposure (m) ⁽¹⁾	Distance to kerb of nearest road (m) ⁽²⁾	Tube Co- located with a Continuous Analyser?	Tube Height (m)
14	Sussex Cleaners	Roadside	486575	104799	NO2	No	0.0	1.8	No	3.0
15	Nag's Head	Roadside	486495	104845	NO2	Yes, St Pancras AQMA	0.0	2.4	No	3.2
16	Orchard St Cabin	Roadside	485982	105221	NO2	Yes, Orchard St AQMA	9.8	3.8	Yes	2.0
17	Midhurst Stationery	Roadside	488545	121434	NO2	Yes, Rumbolds Hill AQMA	1.8	0.6	No	2.8
18	Nat West Bank	Roadside	488583	121512	NO2	Yes, Rumbolds Hill AQMA	9.9	1.1	No	3.0
19	Nationwide	Roadside	488605	121538	NO2	Yes, Rumbolds Hill AQMA	0.5	2.2	No	2.7
20	British Heart Foundation	Roadside	488636	121613	NO2	No	0.0	3.8	No	2.8
21	Whyke Road	Roadside	486899	103720	NO2	No	20.0	1.7	No	2.4
22	St Pauls Road	Roadside	485957	105334	NO2	No	0.0	2.1	No	2.1

Notes:

(1) Om if the monitoring site is at a location of exposure (e.g. installed on the façade of a residential property).

(2) N/A if not applicable.

Table A.3 – Annual Mean NO₂ Monitoring Results: Automatic Monitoring (µg/m³)

Site ID	X OS Grid Ref (Easting)	Y OS Grid Ref (Northing)	Site Type	Valid Data Capture for Monitoring Period (%) ⁽¹⁾	Valid Data Capture 2021 (%) ⁽²⁾	2017	2018	2019	2020	2021
CI1	485881	103791	Suburban		99	33	29	28	23	24
CI4	485982	105221	Roadside		93	23	22	21	16	18
CI5	487212	105372	Roadside		91			27	19	23

Reported concentrations are those at the location of the monitoring site (annualised, as required), i.e. prior to any fall-off with distance correction.

Notes:

The annual mean concentrations are presented as μ g/m³.

Exceedances of the NO₂ annual mean objective of 40µg/m³ are shown in **bold**.

All means have been "annualised" as per LAQM.TG16 if valid data capture for the full calendar year is less than 75%. See Appendix C for details.

Concentrations are those at the location of monitoring and not those following any fall-off with distance adjustment.

(1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.

(2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).

Table A.4 – Annual Mean NO ₂	Monitoring Results:	Non-Automatic Monitor	ing (µg/m ³)

Diffusion Tube ID	X OS Grid Ref (Easting)	Y OS Grid Ref (Northing)	Site Type	Valid Data Capture for Monitoring Period (%) ⁽¹⁾	Valid Data Capture 2021 (%) ⁽²⁾	2017	2018	2019	2020	2021
1	485776	103961	Roadside	100	100.0	29.0	27.0	25.0	20.8	22.9
2a, 2b	485772	103847	Roadside	100	100.0	39.0	33.0	33.0	27.2	29.2
3, 4, 5	485880	103791	Suburban	100	100.0	33.0	29.0	28.0	24.4	24.1
6	485696	103731	Urban Background	100	100.0	36.0	34.0	33.0	27.9	31.6
7	486953	104414	Roadside	100	100.0	16.0	15.0	14.0	11.7	12.8
8	487341	105474	Roadside	100	100.0	30.0	29.0	27.0	21.6	23.4
9a, 9b	486502	104795	Roadside	100	100.0	38.0	36.0	34.0	26.9	30.4
10a, 10b	486533	104860	Roadside	100	100.0	44.0	45.0	42.0	33.3	37.5
11	486082	105026	Urban Background	100	100.0	18.0	17.0	17.0	13.1	14.5
12a, 12b	485914	105185	Roadside	100	100.0	33.0	33.0	30.0	21.5	25.1
13a, 13b	488561	121479	Roadside	100	100.0	49.0	42.0	40.0	33.5	36.0
14	486575	104799	Roadside	100	100.0		32.0	31.0	25.6	25.1
15	486495	104845	Roadside	100	100.0		38.0	37.0	28.3	33.0

Diffusion Tube ID	X OS Grid Ref (Easting)	Y OS Grid Ref (Northing)	Site Type	Valid Data Capture for Monitoring Period (%) ⁽¹⁾	Valid Data Capture 2021 (%) ⁽²⁾	2017	2018	2019	2020	2021
16	485982	105221	Roadside	100	100.0		22.0	20.0	15.5	17.2
17	488545	121434	Roadside	100	100.0		28.0	26.0	22.0	24.2
18	488583	121512	Roadside	100	100.0		37.0	37.0	30.2	33.3
19	488605	121538	Roadside	90.7	90.7		38.0	33.0	29.0	29.8
20	488636	121613	Roadside	100	100.0		27.0	24.0	18.7	20.3
21	486899	103720	Roadside	100	100.0				25.1	28.0
22	485957	105334	Roadside	100	100.0				17.0	20.8

Diffusion tube data has been bias adjusted.

Reported concentrations are those at the location of the monitoring site (bias adjusted and annualised, as required), i.e. prior to any fall-off with distance correction.

Notes:

The annual mean concentrations are presented as $\mu g/m^3$.

Exceedances of the NO₂ annual mean objective of 40µg/m³ are shown in **bold**.

NO₂ annual means exceeding 60µg/m³, indicating a potential exceedance of the NO₂ 1-hour mean objective are shown in **bold and underlined**.

Means for diffusion tubes have been corrected for bias. All means have been "annualised" as per LAQM.TG16 if valid data capture for the full calendar year is less than 75%. See Appendix C for details.


Concentrations are those at the location of monitoring and not those following any fall-off with distance adjustment.

(1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.


(2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).

Figure A.1 – Trends in Annual Mean NO₂ Concentrations (monitoring stations and diffusion tube sites)





Cl1 Stockbridge Sub-Urban Cl4 Orchard St Roadside Cl5 Westhampnett Roadside








Table A.5 – 1-Hour Mean NO₂ Monitoring Results, Number of 1-Hour Means > 200µg/m³

Site ID	X OS Grid Ref (Easting)	Y OS Grid Ref (Northing)	Site Type	Valid Data Capture for Monitoring Period (%) ⁽¹⁾	Valid Data Capture 2021 (%) ⁽²⁾	2017	2018	2019	2020	2021
CI1	485881	103791	Suburban		99	0	0	0	0	0
CI4	485982	105221	Roadside		93	0	0	0	0	0
CI5	487212	105372	Roadside		91			0	0	0

Notes:

Results are presented as the number of 1-hour periods where concentrations greater than 200µg/m³ have been recorded.

Exceedances of the NO₂ 1-hour mean objective (200µg/m³ not to be exceeded more than 18 times/year) are shown in **bold**.

If the period of valid data is less than 85%, the 99.8th percentile of 1-hour means is provided in brackets.

(1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.

(2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).




Figure A.2 – Trends in Number of NO₂ 1-Hour Means > 200µg/m³ (no exceedance of 200µg/m³)

NO₂ 1-hour means at Westhampnett Road Monitoring Station units ug/m³ during 2021




Table A.6 – Annual Mean PM₁₀ Monitoring Results (µg/m³)

Site ID	X OS Grid Ref (Easting)	Y OS Grid Ref (Northing)	Site Type	Valid Data Capture for Monitoring Period (%) ⁽¹⁾	Valid Data Capture 2021 (%) ⁽²⁾	2017	2018	2019	2020	2021
CI1	485881	103791	Suburban		99	19	18	19	18	20

Notes:

The annual mean concentrations are presented as $\mu g/m^3$.


Exceedances of the PM₁₀ annual mean objective of $40\mu g/m^3$ are shown in **bold**.

All means have been "annualised" as per LAQM.TG16 if valid data capture for the full calendar year is less than 75%. See Appendix C for details.

(1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.

(2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).

Figure A.3 – Trends in Annual Mean PM₁₀ Concentrations



Site ID	X OS Grid Ref (Easting)	Y OS Grid Ref (Northing)	Site Type	Valid Data Capture for Monitoring Period (%) ⁽¹⁾	Valid Data Capture 2021 (%) ⁽²⁾	2017	2018	2019	2020	2021
CI1	485881	103791	Suburban		99	1	0	0	0	0

Notes:


Results are presented as the number of 24-hour periods where daily mean concentrations greater than 50µg/m³ have been recorded.

Exceedances of the PM₁₀ 24-hour mean objective (50µg/m³ not to be exceeded more than 35 times/year) are shown in **bold**.

If the period of valid data is less than 85%, the 90.4th percentile of 24-hour means is provided in brackets.

(1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.

(2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).



No exceedances of Objective 50µg/m³ during 2021

Appendix B: Full Monthly Diffusion Tube Results for 2021

DT ID	X OS Grid Ref (Easting)	Y OS Grid Ref (Northing)	Jan	Feb	Mar	Apr	Мау	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual Mean: Raw Data	Annual Mean: Annualised and Bias Adjusted (0.83)	Annual Mean: Distance Corrected to Nearest Exposure	Comment
1	485776	103961	29.2	24.9	28.0	23.1	28.1	27.0	26.7	24.6	30.5	32.6	30.3	26.9	27.6	22.9	-	
2a	485772	103847	35.7	32.2	35.4	32.8	37.8	34.2	35.5	29.8	39.7	39.3	40.4	34.2	-	-	-	Duplicate Site with 2a and 2b - Annual data provided for 2b only
2b	485772	103847	35.9	33.4	35.0	33.5	37.7	35.7	36.0	29.0	39.0	35.9	39.2	30.0	35.2	29.2	-	Duplicate Site with 2a and 2b - Annual data provided for 2b only
3	485880	103791	22.3	27.8	27.3	23.6	28.0	28.1	29.5	27.1	30.5	31.5	35.7	28.6	-	-	-	Triplicate Site with 3, 4 and 5 - Annual data provided for 5 only
4	485880	103791	31.6	27.0	27.1	24.5	29.6	27.1	30.6	26.8	30.3	33.8	32.0	27.8	-	-	-	Triplicate Site with 3, 4 and 5 - Annual data provided for 5 only
5	485880	103791	31.4	26.6	31.9	24.1	29.9	27.0	30.6	27.1	35.6	33.6	31.8	27.0	29.0	24.1	-	Triplicate Site with 3, 4 and 5 - Annual data provided for 5 only
6	485696	103731	42.1	40.0	38.9	43.9	35.6	35.6	35.9	36.5	36.0	32.9	46.6	37.3	38.1	31.6	-	
7	486953	104414	21.0	20.5	18.5	13.1	10.4	13.7	11.9	9.1	16.0	14.4	20.7	18.0	15.4	12.8	-	
8	487341	105474	27.1	28.9	30.7	24.9	25.5	27.4	24.9	24.2	32.6	29.4	34.1	30.7	28.2	23.4	-	
9a	486502	104795	36.2	30.2	37.3	36.8	33.1	33.7	32.2	34.3	42.1	37.1	51.9	39.0	-	-	-	Duplicate Site with 9a and 9b - Annual data provided for 9b only
9b	486502	104795	36.4	33.4	35.9	37.3	29.9	32.5	32.3	35.5	41.4	36.8	53.9	37.0	36.6	30.4	-	Duplicate Site with 9a and 9b - Annual data provided for 9b only
10a	486533	104860	37.0	46.2	42.0	39.2	45.1	47.9	50.4	42.2	54.8	41.7	50.8	42.9	-	-	-	Duplicate Site with 10a and 10b - Annual data provided for 10b only
10b	486533	104860	34.4	41.1	44.0	42.7	49.7	48.0	49.7	44.6	57.2	44.6	47.2	45.5	45.2	37.5	-	Duplicate Site with 10a and 10b - Annual data provided for 10b only
11	486082	105026	23.3	20.7	19.2	15.7	14.1	15.8	15.5	13.2	16.5	14.4	24.5	19.9	17.5	14.5	-	
12a	485914	105185	28.5	32.4	27.1	28.1	25.2	28.2	28.2	21.5	37.4	31.9	35.1	32.0	-	-	-	Duplicate Site with 12a and 12b - Annual data provided for 12b only
12b	485914	105185	29.0	32.8	28.9	27.8	27.8	28.7	29.6	23.9	37.6	33.3	37.1	33.5	30.2	25.1	-	Duplicate Site with 12a and 12b - Annual data provided for 12b only
13a	488561	121479	45.3	39.2	45.0	42.8	43.2	44.6	37.4	42.9	44.6	44.8	55.8	43.2	-	-	-	Duplicate Site with 13a and 13b - Annual data provided for 13b only

Table B.1 – NO₂ 2021 Diffusion Tube Results (µg/m³)

DT ID	X OS Grid Ref (Easting)	Y OS Grid Ref (Northing)	Jan	Feb	Mar	Apr	Мау	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual Mean: Raw Data	Annual Mean: Annualised and Bias Adjusted (0.83)	Annual Mean: Distance Corrected to Nearest Exposure	Comment
13b	488561	121479	38.9	39.8	44.6	42.4	40.1	46.2	42.2	41.9	46.7	41.8	59.1	38.6	43.4	36.0	34.6	Duplicate Site with 13a and 13b - Annual data provided for 13b only
14	486575	104799	29.2	25.1	27.4	24.6	32.2	30.5	32.0	26.6	35.7	33.5	30.2	33.9	30.2	25.1	-	
15	486495	104845	38.4	34.2	40.4	39.6	36.8	40.8	37.5	38.4	45.4	39.9	51.8	37.9	39.8	33.0	-	
16	485982	105221	25.1	22.8	24.6	20.8	16.4	17.8	16.7	15.1	21.1	20.8	25.1	23.2	20.7	17.2	-	
17	488545	121434	28.9	27.9	34.0	32.8	26.4	29.5	26.6	26.6	30.5	27.4	33.9	27.2	29.1	24.2	-	
18	488583	121512	39.7	36.2	43.2	37.8	39.5	41.6	41.7	38.2	43.0	39.6	44.5	38.7	40.1	33.3	-	
19	488605	121538	36.5	34.0	36.8		32.1	36.8	35.2	32.7	42.6	36.1	38.5	35.0	35.9	29.8	-	
20	488636	121613	23.2	29.3	22.6	27.7	23.8	24.9	21.6	22.7	28.7	21.7	25.1	23.3	24.4	20.3	-	
21	486899	103720	31.0	33.9	31.6	29.5	31.2	35.3	37.5	32.2	42.6	33.5	34.9	32.9	33.8	28.0	-	
22	485957	105334	27.4	28.9	28.5	25.7	19.7	23.0	22.8	17.9	26.6	25.1	30.8	26.0	25.1	20.8	-	

All erroneous data has been removed from the NO₂ diffusion tube dataset presented in Table B.1.

☑ Local bias adjustment factor used

Where applicable, data has been distance corrected for relevant exposure in the final column

CDC confirms that all 2021 diffusion tube data has been uploaded to the Diffusion Tube Data Entry System

Notes:

Exceedances of the NO₂ annual mean objective of $40\mu g/m^3$ are shown in **bold**.

NO2 annual means exceeding 60µg/m³, indicating a potential exceedance of the NO2 1-hour mean objective are shown in bold and underlined.

See Appendix C for details on bias adjustment and annualisation.

Chichester District Council

Appendix C: Supporting Technical Information / Air Quality Monitoring Data QA/QC

New or Changed Sources Identified Within Chichester District During 2021

CDC has not identified any new sources relating to air quality within the reporting year of 2021.

Additional Air Quality Works Undertaken by Chichester District Council During 2021

CDC has revoked the AQMAs at Orchard Street and Stockbridge Roundabout during 2022.

CDC revised its AQAP in 2021 and the document is available on the website see link below:

QA/QC of Diffusion Tube Monitoring

Chichester District Council uses Gradko Environmental for supplying and analysing the diffusion tubes. The tube preparation method is 50% TEA/Acetone and ANA UKAS Method GLM7 and GLM9. CDC uses a local bias adjustment factor. The monitoring was completed in adherence with the 2021 Diffusion Tube Monitoring Calendar except for the months of October and November when the exposure varied from the recommended period due to the CDC operator contracting Covid 19.

Gradko Environmental uses the AIR NO₂ Proficiency Testing scheme for quality control. The result for 2021 was Satisfactory (Z score +/- 2) for 75% of results submitted (note not all testing was achieved in 2021 due to the Covid 19 pandemic).

Diffusion Tube Annualisation

All diffusion tube monitoring locations within Chichester District recorded data capture of 75% therefore it was not required to annualise any monitoring data. In addition, any sites with a data capture below 25% do not require annualisation.

Diffusion Tube Bias Adjustment Factors

The diffusion tube data presented within the 2021 ASR have been corrected for bias using an adjustment factor. Bias represents the overall tendency of the diffusion tubes to under or over-read relative to the reference chemiluminescence analyser. LAQM.TG16 provides guidance with regard to the application of a bias adjustment factor to correct diffusion tube monitoring. Triplicate co-location studies can be used to determine a local bias factor based on the comparison of diffusion tube results with data taken from NO_x/NO_2 continuous analysers. Alternatively, the national database of diffusion tube co-location surveys provides bias factors for the relevant laboratory and preparation method.

Chichester District Council has applied a local bias adjustment factor of 0.83 to the 2021 monitoring data. A summary of bias adjustment factors used by CDC over the past five years is presented in Table C.1.

There are three diffusion tubes co-located with the Stockbridge (CI1) continuous analyser which are used to derive the local bias adjustment factor.

Monitoring Year	Local or National	If National, Version of National Spreadsheet	Adjustment Factor
2021	Local		0.83
2020	Local		0.79
2019	Local		0.84
2018	Local		0.85
2017	Local		0.93

Table C.1 – Bias Adjustment Factor

NO₂ Fall-off with Distance from the Road

Wherever possible, monitoring locations are representative of exposure. However, where this is not possible, the NO₂ concentration at the nearest location relevant for exposure has been estimated using the Diffusion Tube Data Processing Tool/NO₂ fall-off with distance calculator available on the LAQM Support website. Where appropriate, non-automatic annual mean NO₂ concentrations corrected for distance are presented in Table B.1.

At one site, Rumbolds Hill (in Midhurst) site 13a/13b, a fall off with distance calculation was required see Table C.4

QA/QC of Automatic Monitoring

All sites are visited by a CDC officer for calibration and filter changes on a bi-monthly basis. CDC has a service agreement with a third party who provides site maintenance, auditing, regular inspections and 48 call-out response if problems are encountered. Data is

downloaded from all sites twice daily by ERG⁹ and is available to download online¹⁰. CDC has a contract with ERG to calibrate and ratify all real time data collected. Data presented in the report has been ratified.

PM₁₀ and PM_{2.5} Monitoring Adjustment

ERG applies an approved Volatile Correction Model (VCM) correction to the PM₁₀ data (further details are available from ERG).

Automatic Monitoring Annualisation

All automatic monitoring locations within Chichester District recorded data capture of greater than 75% therefore it was not required to annualise any monitoring data. In addition, any sites with a data capture below 25% do not require annualisation.

NO₂ Fall-off with Distance from the Road

Wherever possible, monitoring locations are representative of exposure. However, where this is not possible, the NO₂ concentration at the nearest location relevant for exposure has been estimated using the NO₂ fall-off with distance calculator available on the LAQM Support website. Where appropriate, non-automatic annual mean NO₂ concentrations corrected for distance are presented in Table B.1.

No automatic NO₂ monitoring locations within Chichester District required distance correction during 2021.

⁹ The Environmental Research Group (ERG) part of the School of Biomedical and Health Sciences at Imperial College London, a leading provider of air quality information and research in the UK

¹⁰ www.sussex-air.net

Table C.2 – Annualisation Summary (concentrations presented in µg/m³)

No annualisation required.

Table C.3 – Local Bias Adjustment Calculation

	Local Bias Adjustment Input 1	Local Bias Adjustment Input 2	Local Bias Adjustment Input 3	Local Bias Adjustment Input 4	Local Bias Adjustment Input 5
Periods used to calculate bias	12				
Bias Adjustment Factor A	0.83 (0.79 - 0.88)				
Diffusion Tube Bias B	20% (13% - 27%)				
Diffusion Tube Mean (µg/m³)	29.0				
Mean CV (Precision)	5.3%				
Automatic Mean (µg/m³)	24.2				
Data Capture	98%				
Adjusted Tube Mean (µg/m ³)	24 (23 - 26)				
Overall Diffusion Tube Precision	Good Overall Precision				
Overall Continuous Monitor Data Capture	Good Overall Data Capture				
Local Bias Adjustment Factor	0.83				

Notes:

A single local bias adjustment factor has been used to bias adjust the 2021 diffusion tube results.

Table C.4 – NO₂ Fall off With Distance Calculations (concentrations presented in µg/m³)

Site ID	Distance (m): Monitoring Site to Kerb	Distance (m): Receptor to Kerb	Monitored Concentration (Annualised and Bias Adjusted	Background Concentration	Concentration Predicted at Receptor	Comments
13a, 13b	1.5	2.0	36.0	12.8	34.6	

Appendix D: Maps of Monitoring Locations and AQMAs




Figure D.1 – Map of Non-Automatic Monitoring Sites in Chichester

© Crown Copyright and database right 2020. Ordnance Survey 100018803





Figure D.2 – Map of Automatic and Non-Automatic Monitoring Sites at Stockbridge Roundabout AQMA, Chichester

© Crown Copyright and database right 2021. Ordnance Survey 100018803

Figure D.3 – Map of Non-Automatic Monitoring Sites at St Pancras AQMA, Chichester



© Crown Copyright and database right 2021. Ordnance Survey 100018803





Figure D.4 – Map of Automatic and Non-Automatic Monitoring Sites at Orchard Street AQMA, Chichester

© Crown Copyright and database right 2021. Ordnance Survey 100018803

Figure D.5 – Map of Automatic and Non-Automatic Monitoring Sites at Westhampnett Road, Chichester



© Crown Copyright and database right 2021. Ordnance Survey 100018803





Figure D.6 – Map of Ozone Automatic Monitoring Site at Lodsworth

© Crown Copyright and database right 2021. Ordnance Survey 100018803

Figure D.7 – Map of Non Automatic Monitoring Sites at Rumbolds Hill AQMA, Midhurst



© Crown Copyright and database right 2021. Ordnance Survey 100018803

Appendix E: Summary of Air Quality Objectives in England

Table E.1 –	Air Quality	Objectives	in England ¹¹
	An Quanty		

Pollutant	Air Quality Objective: Concentration	Air Quality Objective: Measured as
Nitrogen Dioxide (NO2)	200µg/m ³ not to be exceeded more than 18 times a year	1-hour mean
Nitrogen Dioxide (NO2)	40µg/m³	Annual mean
Particulate Matter (PM10)	50µg/m ³ , not to be exceeded more than 35 times a year	24-hour mean
Particulate Matter (PM10)	40µg/m³	Annual mean
Sulphur Dioxide (SO2)	350µg/m ³ , not to be exceeded more than 24 times a year	1-hour mean
Sulphur Dioxide (SO ₂)	125µg/m ³ , not to be exceeded more than 3 times a year	24-hour mean
Sulphur Dioxide (SO ₂)	266µg/m ³ , not to be exceeded more than 35 times a year	15-minute mean

 $^{^{11}}$ The units are in microgrammes of pollutant per cubic metre of air (µg/m³).

Glossary of Terms

Abbreviation	Description
AQAP	Air Quality Action Plan - A detailed description of measures, outcomes, achievement dates and implementation methods, showing how the local authority intends to achieve air quality limit values'
AQMA	Air Quality Management Area – An area where air pollutant concentrations exceed / are likely to exceed the relevant air quality objectives. AQMAs are declared for specific pollutants and objectives
ASR	Annual Status Report
CCTV	Closed circuit television
CDC	Chichester District Council
Defra	Department for Environment, Food and Rural Affairs
DMRB	Design Manual for Roads and Bridges – Air quality screening tool produced by National Highways
EU	European Union
EV	Electric vehicle
FDMS	Filter Dynamics Measurement System
HE	Highways England
IAAQG	Inter Authority Air Quality Group
LAQM	Local Air Quality Management
LES	Low Emissions Strategy
MOVA	Microprocessor Optimised Vehicle Actuation
NHS	National Health Service
NO ₂	Nitrogen Dioxide
NOx	Nitrogen Oxides
OLEV	Office of Low Emission Vehicles
O ₃	Ozone
PM ₁₀	Airborne particulate matter with an aerodynamic diameter of 10µm or less
PM _{2.5}	Airborne particulate matter with an aerodynamic diameter of 2.5µm or less
QA/QC	Quality Assurance and Quality Control
RTPI	Real Time Passenger Information

Abbreviation	Description
SAQP	Sussex Air Quality Partnership
SO ₂	Sulphur Dioxide
UTC	Urban Transport Controls
VCM	Volatile correction measurement
VMS	Variable message signing
WSCC	West Sussex County Council

References

- Local Air Quality Management Technical Guidance LAQM.TG16. April 2021.
 Published by Defra in partnership with the Scottish Government, Welsh Assembly Government and Department of the Environment Northern Ireland.
- Local Air Quality Management Policy Guidance LAQM.PG16. May 2016. Published by Defra in partnership with the Scottish Government, Welsh Assembly Government and Department of the Environment Northern Ireland.
- West Sussex Walking and Cycling Strategy 2016 2026 produced by WSCC.
- Chichester City Local Cycling and Walking Infrastructure Plan 2021 produced by Transport Initiatives and PJA.
- Revised CDC Air Quality Action Plan 2021 2026 produced by CDC February 2021.